



- N.B.** (1) Question No. 1 is **compulsory**.
 (2) Answer any **three** questions out of **remaining** questions.
 (3) Use acceleration due to gravity $g = 9.81 \text{ m/s}^2$.
 (4) Use of electronic calculator is **permitted**.

- Q.1. (a)** A ring is pulled by three forces as shown in figure. Find the force F and the angle θ if resultant of these three forces is 100 N acting in vertical direction. [04]




- (b) State and prove Lami's Theorem. [04]
 (c) Laws of friction. [04]
 (d) A motorist is travelling at 90 kmph, when he observes a traffic signal 250 m ahead of him turns red. The traffic signal is timed to stay red for 12 sec. If the motorist wishes to pass the signal without stopping just as it turns green. Determine (i) The required uniform deceleration of the motor. (ii) The speed of motor as it passes the signal. [04]
 (e) A 50 kg block kept on a 15° inclined plane is pushed down the plane [04] with an initial velocity of 20 m/s. If $\mu_k = 0.4$, determine the distance traveled by the block and the time it will take as it comes to rest.


- Q.2. (a)** A member ABC is loaded by distributed load and pure moment as shown in the Figure. Find the (i) magnitude and (ii) position along AC of the resultant. [06]




- (b) A cylinder weighing 1000 N and 1.5 m diameter is supported by a [08]
 beam AB of length 6 m and weight 400 N as shown in figure.
 Neglecting friction at the surfaces of contacts, determine (i) Wall
 reaction at D. (ii) Tension in the cable BC and (iii) Hinged reaction at
 support A.



- (c) A particle of mass 1 kg is acted upon by a force F which varies as [06]
 shown in figure. If initial velocity of the particle is 10 m/s determine
 (i) what is the maximum velocity attained by the particle. (ii) Time
 when particle will be at the point of reversal.




Q.3. (a) Locate the centroid of the shaded area.




[08]

(b) A pole is held in place by three cables. If the force of each cable acting on the pole is as shown in figure determine the resultant.



[06]


(c) Two blocks $m_A=10$ kg and $m_B=5$ kg are connected with cord and pulley system as shown in figure. Determine the velocity of each block when system is started from rest and block B gets displacement by 2 m. Take $\mu_K=0.2$ between block A and Horizontal surface.



[06]


[TURN OVER

Q.4. (a) Find the support reactions at A and B for the beam shown in figure. [08]




(b) A ball is thrown from horizontal level, such that it clears a wall 6 m high, situated at a horizontal distance of 35 m. If the angle of projection is 60° with respect to the horizontal, what should be the minimum velocity of projection? [06]

(c) 'C' is a uniform cylinder to which a rod 'AB' is pinned at 'A' and the other end of the rod 'B' is moving along a vertical wall as shown in figure. If the end 'B' of the rod is moving upward along the wall at a speed of 3.3 m/s find the angular velocity of the cylinder assuming that it is rolling without slipping. [06]



- (b) Find the necessary force to raise a heavy stone block of 2000 N. Take [08]
 coefficient of friction as 0.25 for all surfaces. Neglect the weight of
 wedge. Take angle of wedge as 15° .



- (c) A ship A travels in the north making an angle of 45° to the West with [04]
 a velocity of 18 km/hr and ship B travels in the East with a velocity of
 9 km/hr. Find the relative velocity of B w.r.t. ship A.
- (d) A body of mass 25 kg resting on a horizontal table is connected by [04]
 string passing over a smooth pulley at the edge of the table to another
 body of mass 3.75 kg and hanging vertically as shown. Initially, the
 friction between the mass A and the table is just sufficient to prevent
 the motion. If an additional 1.25 kg is added to the 3.75 kg mass, find
 the acceleration of the masses.

